



## Medical Trolleys Catalogue



# About MHA Products

At Manual Handling Australia (MHA), we have the largest range of manual handling and workplace materials handling equipment in Australia. This includes thousands of workplace and storage items suited to every workplace and lifting equipment and trolleys for almost every application. Our products aim to eliminate or reduce manual handling effort in the workplace, while boosting productivity and ensuring workplace safety.

MHA has over many years spent countless hours on product development and sourcing to ensure we can get products to make your workplace not only safer but more efficient.

MHA has branches in Brisbane, Sydney and Melbourne and we service customers nationally from those locations.

MHA sources products from all over the world and sells them direct meaning there is no middle man or middle margin added giving you the best possible price and faster service. We also offer customised solutions with trolleys, lifters and many other materials handling equipment to ensure you have the perfect product to improve the safety and efficiency of your workplace.

MHA is a family owned company for over 25 years which means that dealing with us is dealing with someone that cares and wants to exceed your expectations and do that extra bit to make our customers happy.

MHA has over 3000 products on our website and we have this dedicated catalogue for medical trolleys to make it easier when trying to find trolleys for use in the medical and associated areas. If you would like a technical sales person to visit your site give us a call or send us an email to arrange a suitable time.

MHA is dedicated to providing you with the highest quality products at the best possible price, with the best possible service. With a long and trusted reputation in the industry, MHA is a name you can rely on.

MHA not only stocks a great range of standard products but we can also manufacture custom items to suit your specific requirements. If you can't find the product or solution you're looking for, simply let us know – we'll tailor and design a product for your exact business needs with everything from specialised trolleys, stillage and storage cages, scissor lift tables, conveyor systems, drum handling equipment,

We look forward to servicing you with your requirements and helping you to make your companies workplace not only better but safer and more efficient.

*The MHA Sales Team*



(02) 8865 1800 - Sydney



(03) 9115 9100 - Melbourne



(07) 3558 9700 - Brisbane



sales@mhaproducts.com.au



www.mhaproducts.com.au



Instant 30 Day  
account for  
government  
department  
orders

Delivering Australia Wide Daily!

**Fast  
DELIVERY**

MHA Products delivers Australia wide every day of the week (excluding weekends). Delivery is also available to other countries via our preferred carrier TNT Express or we can ship on your nominated carrier.

# Haven't bought from MHA before? ...we've made it easy for you.

Simply fill out this priority order form and fax or email it to us and your order will be on the way!

- See over page for this order form

A detailed priority order form from MHA Products. It includes sections for company details, invoice and delivery addresses, contact information, and a table for item codes, descriptions, quantities, unit prices, and total prices. It also has fields for payment options and order dates.

An account application form for MHA Products. It contains sections for individual or partnership details (Section 1) and company details (Section 2), including company name, address, telephone, and mobile number. It also includes a section for business details like type of business, name of bank, and number of people employed.

**Would you like a 30 day account?**  
Simply fill in the account form on page 312 and we will open your account the same day - no references required!

MHA Products incorporates;  
Manual Handling Australia and Mobile Storage Systems



## Experience the MHA advantages

- Huge Range**  
MHA have a huge range of industrial products ranging from materials handling equipment to office and storage equipment - Save time and hassle by ordering all your needs through one supplier.
- Quality Guarantee**  
At MHA we stand behind our products. If you are not satisfied with any of the products we supply, we will either replace it or provide you with a full refund so you can be rest assured when ordering from us.
- Technical Services**  
Our trained professional sales team can provide obligation free advice on any storage or handling requirements that you may have.
- Order Online**  
Our products are available to order via our easy to use online ordering system. Visit our website [www.mhaproducts.com.au](http://www.mhaproducts.com.au) to order online.
- Prepurchase Trials**  
Some of our equipment is available for prepurchase trial, giving you the opportunity to trial the product in your own workplace.
- Customised Equipment**  
We not only stock a huge range of materials handling and storage equipment but we can manufacture or customise a product specific to your requirements. If you require something customised, contact our technical sales team for a quotation.




**Sydney** Tel: 02 8865 1800 Fax: 02 8865 1830  
**Melbourne** Tel: 03 9115 9100 Fax: 03 9115 9150  
**Brisbane** Tel: 07 3558 9700 Fax: 07 3558 9750

**Head Office Postal Address:** PO Box 2157, North Parramatta NSW 1750

# Order Online...from your phone or computer

[www.mhaproducts.com.au](http://www.mhaproducts.com.au)



## Extremely easy to use website!



### Ease of Use

Extremely easy to use and navigate. Simply browse to the products you are looking for and add to cart then checkout. You don't need to be logged in to place an order.



### Mobile Friendly Website

Fully functional mobile shop, designed specifically for mobile and/or tablet users.



### Account Login

View, print and pay orders and invoices online when you login to your account.



### 6 Payment Methods (no surcharges)

You can choose from one of six ways to pay when your order online. Choose these payment methods at the checkout page



## Its as easy as 123



### Step 1

Simply choose your quantity and click 'Add to Cart'.

### Step 2

Then you will receive this popup to either continue shopping, view cart or checkout now.

#### Item has been added to your cart



1 x 2 Fixed Handle Trolley 610x920mm added to cart.

Continue Shopping

View My Cart

Checkout Now

### Step 3

After you have entered your information and delivery details, just click 'Confirm & Process Order' and you will be directed to the order confirmation page.

Confirm & Process Order >



ABN: 38 368 064 476

# PRIORITY ORDER FORM

Head Office Postal Address: PO Box 2157,  
North Parramatta NSW 1750  
Email: sales@mhaproducts.com.au

**Sydney**  
Tel: (02) 8865 1800  
Fax: (02) 8865 1830  
✉ nsw@mhaproducts.com.au

**Melbourne**  
Tel: (03) 9115 9100  
Fax: (03) 9115 9150  
✉ vic@mhaproducts.com.au

**Brisbane**  
Tel: (07) 3558 9700  
Fax: (07) 3558 9750  
✉ qld@mhaproducts.com.au

## Your Company Details

Please photocopy for future use

Company Name: .....

Invoice Address: .....

Delivery Address: .....

ABN: ..... Tel: ( ) ..... Fax: ( ) .....

Contact Name: ..... Position: .....

Contact Email: ..... Accounts Email: .....

Your Order Number: ..... Date: .....

Code	Description	Qty	Unit price	Total price

<b>Freight Charges</b> Please check our website <a href="http://www.mhaproducts.com.au">www.mhaproducts.com.au</a> for correct freight cost to your postcode, otherwise please tick 'obtain freight quote' and place your order using this form and we will contact you to confirm freight cost before processing your order.	Obtain freight quote or charge to my freight account	Sub Total <input type="checkbox"/> Please tick if required
	Charge to my freight account. (please list details below)	Freight
		GST
		Total (inc GST)

## Payment Options (Please tick)

- Please email invoice for payment by direct deposit
- Please invoice on my 30 day account
- Please invoice on my 14 day account
- Please charge to credit card
- VISA    MASTERCARD    AMEX



We accept VISA, MASTERCARD & AMEX (no surcharge)



Card Holder's Signature .....

Card Holder's Full Name: .....

Card Expiry Date: ..... / .....

Card No.

3 Digit Security Code:



View our full range of products online

Lifting & Elevating Equipment



Containment & Spillage Control



Waste Handling Bins & Equipment



Shelving & Storage Equipment



Plastic Bins & Crates



Safety Equipment



# Medical Trolleys

**MHA**  
PRODUCTS  
MANUAL HANDLING AUSTRALIA

FREECALL 1800 750 900  
[www.mhaproducts.com.au](http://www.mhaproducts.com.au)



## Stainless Steel 3 Tier Trolley

- Bolt together construction
- Rubber corner protectors as standard
- Middle shelf can be removed to make a 2 tier trolley
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- 201 grade stainless steel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
ST673	150	100	960	900x500	200 + 510 + 820	1010x560x960	15

## Fully Welded Stainless Steel 2 & 3 Tier Trolleys

- Heavy Duty Welded Construction
- Handles at both ends
- Optional PVC buffers available
- 304 grade stainless steel
- Rubber castors - 2 x swivel, 2 x swivel with brakes



ST640



ST642



Optional PVC Buffer Kit

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
ST640	2 Tier Trolley	300	125	1095	880x480	325 + 855	1120x540x1095	18
ST642	3 Tier Trolley	300	125	1095	880x480	200 + 550 + 900	1120x540x1095	26
T6580	PVC Buffer Kit (includes 4 buffers)							



## Stainless Steel 2 & 3 Tier Trolleys

- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors - 4 x swivel
- 304 grade stainless steel
- Overall Length Including Handle: 750mm




**Durolia™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between Trays (mm)	Tray Size WxDxH (mm)	Platform Size (mm)	Unit Weight (kg)
ST620	2 Tier Trolley	200	100	910	670	600x400x50	655x400	14
ST630	3 Tier Trolley	200	100	910	310	600x400x50	655x400	18

## Service Cart With Side Rails

- Lightweight trolley yet very robust design
- Electro galvanised finish
- Rubber castors -  
2 x swivel, 2 x swivel with brake



**High Durability**  
Strong perforated steel



**VERDEX**

Code	Load Capacity (kg)	Castors (mm)	Distance Between Shelves (mm)	Height to Top Shelf (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1037	250	125	325	705	935x535x90	1130x550x940	24

## 4 Tier Stainless Steel Trolley

- 201 grade stainless steel
- Buffers supplied as standard to protect walls and equipment
- Recessed shelves
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Height to Top Shelf (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1440	100	100	1125	825x500	280	910x590x1260	20

## 2 Tier Flat Deck Trolley

- Electro galvanised handle and end frame
- Chipboard shelves covered in stainless steel sheet
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes
- Top Shelf Height: 720mm
- Handle Height: 950mm



Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1445	200	100	760x435	510	840x430x970	21

## Stainless Steel Instrument Trolleys

These instrument trolleys are ideal for use in clinical and surgical environments.

- Fully welded stainless steel construction
- Optional PVC buffers available
- 304 grade stainless steel
- Rubber castors - 2 x swivel, 2 x swivel with brakes



## Stainless Steel Instrument Trolleys (With Rails)

Code	Details	Overall Size WxDxH (mm)	Castors (mm)
T6530	Instrument Trolley (with rails)	490x490x970	100
T6531	Instrument Trolley (with rails)	600x490x970	100
T6532	Instrument Trolley (with rails)	750x490x970	100
T6533	Instrument Trolley (with rails)	900x490x970	100
T6534	Instrument Trolley (with rails)	1000x490x970	100
T6535	Instrument Trolley (with rails)	1200x490x970	100



## Stainless Steel Instrument Trolleys (with 1 drawer)

Code	Details	Overall Size WxDxH (mm)	Castors (mm)
T6550	Instrument Trolley (with 1 drawer)	490x490x970	100
T6551	Instrument Trolley (with 1 drawer)	600x490x970	100
T6552	Instrument Trolley (with 1 drawer)	750x490x970	100
T6553	Instrument Trolley (with 1 drawer)	900x490x970	100



## Stainless Steel Instrument Trolleys (with 2 drawers)

Code	Details	Overall Size WxDxH (mm)	Castors (mm)
T6560	Instrument Trolley (with 2 drawers)	490x490x970	100
T6561	Instrument Trolley (with 2 drawers)	600x490x970	100
T6562	Instrument Trolley (with 2 drawers)	750x490x970	100
T6563	Instrument Trolley (with 2 drawers)	900x490x970	100



## Stainless Steel Instrument Trolleys (with 3 drawers)

Code	Details	Overall Size WxDxH (mm)	Castors (mm)
T6566	Instrument Trolley (3 drawers)	490x490x970	100
T6566	Instrument Trolley (3 drawers)	600x490x970	100
T6567	Instrument Trolley (3 drawers)	750x490x970	100
T6568	Instrument Trolley (3 drawers)	900x490x970	100



## Stainless Steel Instrument Trolleys (with 4 drawers)

Code	Details	Overall Size WxDxH (mm)	Castors (mm)
T6570	Instrument Trolley (with 4 drawers)	490x490x970	100
T6571	Instrument Trolley (with 4 drawers)	600x490x970	100
T6572	Instrument Trolley (with 4 drawers)	750x490x970	100
T6573	Instrument Trolley (with 4 drawers)	900x490x970	100



## Stainless Steel Instrument Trolleys (with 2 drawers side by side)

Code	Overall Size WxDxH (mm)	Castors (mm)
T6575	890x490x970	100



## Stainless Steel Instrument Trolleys (with 4 drawer side by side)

Code	Overall Size WxDxH (mm)	Castors (mm)
T6577	890x490x970	100



## PVC Round Buffer Kit

(to suit Stainless Steel Instrument Trolleys)

Code	Overall Size (mm)
T6580	25x125



### 3 Tier Wire Trolley

- Chrome wire mesh offers a clean sterile area
- This wire trolley comes standard with 3 adjustable wire shelves and built in push handles at each end.



Code	Load Capacity (kg)	Handle Height (mm)	Top Shelf Height (mm)	Bottom Shelf Height (mm)	Overall Dimensions LxW (mm)	Load Capacity (kg)
ST7092	200	1020	900	250	910x610	200

### 2 Tier Wire Basket Trolley

- This wire trolley comes standard with 2 adjustable basket shelves as pictured and a built in push handle at one end.
- Two Baskets: 140mm deep and 255mm deep.



Code	Load Capacity (kg)	Handle Height (mm)	Top Shelf Height (mm)	Bottom Shelf Height (mm)	Overall Dimensions LxW (mm)	Load Capacity (kg)
ST7096	200	1020	645	190	910x460	200



### Mesh Sided Basket Linen Trolley

- Mesh sided basket
- Spring loaded base which lowers as weight is added
- Corner buffers and push handle
- Smooth powdercoated finish

Code	Castors (mm)	Overall Size LxWxH (mm)
T1412	125	900x600x1020

## Self Levelling Shelf Trolley

- This trolley has an innovative design in which the top platform automatically adjusts to maintain a safe working height as weight is added or taken off.
- Makes work operations faster, safer and more efficient by reducing manual exertion and bending.
- At 90kg, the platform is at the lowest position.
- Trolleys are nestable for compact storage
- Electro galvanised finish
- Rubber castors - 2 x swivel, 2 x swivel with brake



**LIFTEX**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Height to Top Shelf (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1690	300	125	995	810	610	960x525x1030	36

## Nestable Basket Trolley

- Top basket can be folded upwards so that multiple trolleys can be nested together when not in use
- Electro galvanised finish
- Rubber castors - 2 x swivel, 2 x swivel with brake



**Km**

Code	Load Capacity (kg)	Top Shelf Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1691	300	100	125	1010	430	870x530x1010	21

## Transport Trolleys

- All trolleys have 2 x 125mm rigid centre nylon wheels and 4 x 100mm swivel nylon wheels
- Sturdy handle at one end only
- Zinc finish



Code	Details	Load Capacity (kg)	Distance between shelves(mm)	Overall Size LxWxH (mm)
RT046	Single Deck Transport Trolley	200	n/a	1200x410x1020
RT047	Two Tier Transport Trolley	300	400	1200x410x1020
RT048	Two Tier Transport Trolley	300	400	1360x600x1030

## Store Transport Trolley

- Two large platforms for easy loading
- Basket for easy storage of small goods
- Electro galvanised and clear coated
- Rubber castors - 2 x fixed, 4 x swivel



Optional clipboard unit available

Code	Load Capacity (kg)	Castors (mm)	Height to Top Shelf (mm)	Distance Between Shelves (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1685	400	125	715	475	1320x430x1120	24
M1673	Optional Clipboard Unit					



## 2 Tier Trolley (With Height Adjustable Shelves)

- Innovative design allowing shelves to be adjusted at different heights
- Optional ladder and clipboard available
- Ladder can be folded up for compact storage when not in use.
- Electro galvanised finish with laminate shelves
- Shelf Size: 1000x425mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



M1670



Optional clipboard unit available



Optional ladder available

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1670	2 Tier Trolley (with adjustable shelves)	250	125	1195x470x1120	26
M1672	Optional Ladder	125	-	550x450x670	9
M1673	Optional Clipboard Unit				

## 3 Tier Trolley (With Height Adjustable Shelves)

- Innovative design allowing shelves to be adjusted at different heights
- Optional ladder and clipboard available.
- Ladder can be folded up for compact storage when not in use.
- Electro galvanised finish with laminate shelves
- Shelf Size: 1000x425mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



M1671



Optional clipboard unit available



Optional ladder available




Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1671	3 Tier Trolley (with adjustable shelves)	250	125	1195x470x1120	32
M1672	Optional Ladder	125	-	550x450x670	9
M1673	Optional Clipboard Unit				



## Multi-Purpose 2 Tier Trolleys

**Durolla™**

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- T9322 - Rubber castors - 2 x fixed, 2 x swivel
- T9334 - Polyurethane castors - 2 x fixed, 2 x swivel




Brake Kit

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Unit Weight (kg)
T9322	2 Tier Trolley	120	100	860	750x490	140 + 660	20
T9334	2 Tier Trolley	370	125	1000	920x620	180 + 780	27
T9341	Brake Kit to suit T9334						

## Multi-Purpose 3 Tier Trolleys

**Durolla™**

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- T9323 - Rubber castors - 2 x fixed, 2 x swivel
- T9336 - Polyurethane castors - 2 x fixed, 2 x swivel




Brake Kit

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Unit Weight (kg)
T9323	3 Tier Trolley	120	100	860	750x490	140 + 410 + 660	24
T9336	3 Tier Trolley	370	125	990	920x620	180 + 480 + 780	36
T9341	Brake Kit to suit T9336						

## Multi-Purpose 2 Tier Cage Trolleys

**Durolia™**

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Ergonomically designed with handle at optimum height
- Polyurethane castors - 2 x fixed, 2 x swivel



Brake Kit

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T9325	2 Tier Trolley	220	100	1010	740x480	140 + 660	790x480x1010	23
T9335	2 Tier Trolley	370	125	1000	920x620	180 + 650	960x620x1000	33
T9341	Brake Kit to suit T9335							

## 3 Tier Convertible Linen Cage Trolley

**Durolia™**

- General purpose 3 tier trolley which can be converted into a platform trolley with sides as pictured
- Rubber castors - 2 x fixed, 2 x swivel with brakes



*Image shown with top and middle shelves removed and inserted as sides to convert into a cage trolley*



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Heights (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T9435	200	125	1160	190 + 600 + 980	900x600	950x610x1160	45

### 3 Tier Shelf Trolleys

- The shelves can be used as a flat platform or turned upside down and used as a tray
- Powder coated finish
- Available in Blue or White
- Overall Size (LxWxH): 1080x480x940mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Distance Between Shelves (mm)	Height to Top Shelf (mm)	Unit Weight (kg)
M1660	Blue	250	125	900x440	250	760	30
M1661	White	250	125	900x440	250	760	30

### Tall Multi Shelf Trolleys

- Supplied standard with 3 shelves (extra shelves available)
- The shelves can be used as a flat platform or turned upside down and used as a tray as shown in the photo of the blue trolley
- Powder coated finish
- Available in Blue or White
- Overall Size (LxWxH): 980x585x1445mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



Pictured with extra shelves



Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Height to Top Shelf (mm)	Unit Weight (kg)
M1662	Blue Multi Shelf Trolley (supplied with 3 shelves)	250	125	900x540	1340	39
M1663	Extra Shelf to Suit M1662 (blue shelves)					
M1664	White Multi Shelf Trolley (supplied with 3 shelves)	250	125	900x540	1340	39
M1665	Extra Shelf to Suit M1664 (white shelves)					

## 2 Tier Ladder Trolley

- Fully welded 3 step ladder which has struts to automatically retract the steps when moving
- Ladder holds the trolley to stop it moving when you step on it
- Anti-slip steps which ensure safe operation
- Quality 155mm castors
- 2 lockable castors



**Durolla™**

Code	Capacity (kg)	Bottom Shelf Height (mm)	Top Shelf Height (mm)	Overall Size WxH (mm)
T6150	300	210	1010	550x1480

## 3 Tier Step Ladder Trolley

- Strong 3 step ladder which folds up when not required
- Middle shelf has 3 shelf positions
- Ladder is connected with the brake to stop wheels turning which enhances security when using the ladder
- Anti-slip steps which ensure safe operation
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T6100	400	100	700x500	1125x525x1110	45

### 3 Tier Platform Trolley

- Fully welded steel construction
- Powder coated blue
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8687	500	125	960	900x605	180 + 520+ 860	1080x605x940	45



### Extra Large 2 Tier Platform Trolley

- Powder coated blue
- Rubber castors - 2 x fixed, 2 x swivel with brakes

**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T3086	500	160	1000	1100x600	230 + 720	1320x600x1000	48

### General Purpose 3 Tier Trolley

- Bolted steel construction
- Powder coated blue
- Middle shelf can be removed to make a 2 tier trolley if required
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Tray Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T0252	350	200	970	900x500	300 + 725 + 1150	1010x510x1150	60

## 2 Tier Platform Trolley

- Fully welded steel construction
- Powder coated blue
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8684	500	125	940	900x600	180 + 860	1080x600x940	40

## 2 Tier Rubber Top Platform Trolley

**Durolla™**

- Rubber lined shelves to help stop items from sliding off when moving around
- Wire tool basket supplied as standard which is great for storage
- Fully welded steel construction
- Powder coated blue
- Basket Dimensions (LxWxH): 265x145x170mm
- Distance between Shelves: 655mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



Wire tool basket supplied as standard

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Shelf Heights (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8684C	500	125	1055	910x610	190 + 880	1080x610x1055	39

## 2 Tier Trolley with Writing Shelf

- Bolted steel construction
- Powder coated blue
- Supplied standard with writing shelf
- Distance Between Shelves: 540mm
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Heights (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T0253	250	125	980	220 + 790	895x495	1300x510x1070	40

## Prestige 2 & 3 Tier Trolleys

- Powder coated steel construction
- Chrome steel handle with plastic end caps
- The shelves can be used as a flat platform or turned upside down and used as a tray
- Polyurethane castors - 2 x fixed, 2 x swivel




T0256

**Durolla™**



Shelf levels are adjustable



Reversible shelves



T0255

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T0255	2 Tier Trolley	200	100	890	750x500	830x500x930	18
T0256	3 Tier Trolley	200	100	890	750x500	830x500x930	22

## V-Cart Folding Trolley

- It can be completely collapsed by the push of a button on the handle. The wheels are able to be removed by the push of a button and stored underneath for compact transport and storage.
- The V-Cart is supplied with one collapsible basket which will lock into place on either the top or bottom platform. The top platform can be folded back to allow larger items to be transported if required.
- Extra baskets are available for use on both platforms or up to 4 baskets can be stacked on the bottom platform.
- A robust foot pedal brake allows the V-Cart to be locked in position whilst loading or unloading.
- The injection moulded plastic and aluminium design means that whilst the V-Cart is lightweight it is still very robust and has a great carrying capacity.
- The basket fits foolscap suspension files, which is great for transporting documents throughout the office.
- The V-Cart can also be used with our standard No.7, No.10.No.15 tubs



View video of this in operation here  
[www.mhaproducts.com.au/vcart](http://www.mhaproducts.com.au/vcart)



### Specifications

- Total Trolley Capacity: 90kg
- Top Shelf Capacity: 40kg
- Bottom Shelf Capacity: 50kg
- Trolley Weight: 10kg
- Basket Weight: 1.8kg
- Handle Height: 1050mm

### Dimensions

- Overall Length Assembled: 1000mm
- Overall Width Assembled: 600mm
- Overall Height Assembled: 1070mm
- Overall Length Folded: 740mm
- Overall Width Folded: 540mm
- Overall Height Folded: 105mm

View more details here,

[www.mhaproducts.com.au/vcart](http://www.mhaproducts.com.au/vcart)

# V-CART»»



Code	Details
T9000	V-Cart Folding Plastic & Aluminium Trolley (Includes 1 Folding Basket)
T9050	V-Cart Extra Basket





# Tub Trolleys



- Simple bolt together construction
- Powder coated finish
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Handle Height: 1050mm
- Top Rail Height: 1000mm
- Bottom Shelf Height: 230mm
- Clipboard and Laptop holder attachments are optional extras and sold seperately
- T3190 fits 1 No.7, 10 or 15 Plastic Tub
- T3195 fits 2 No.7, 10 or 15 Plastic Tub
- Fits 1 tub in either No.7, No. 10 and No.15. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



T3190



T3195



T3190 pictured with two No.10 tubs, T3192 Laptop Holder Attachment & M1843 Mesh Basket Accessory Tray



T3195 pictured with two No.10 tubs, T3191 Clipboard Holder Attachment & M1843 Mesh Basket Accessory Tray



T3191



T3192




M1843

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxW(mm)	Unit Weight (kg)
T3190	Single Tub Trolley	250	125	835x425	16
T3195	Double Tub Trolley	250	125	1010x650	21
T3191	Clipboard Holder Attachment				
T3192	Laptop Holder Attachment				
M1843	Mesh Basket Accessory Tray				

## Twin Offset Tub Order Picking Trolley

**Durolla™**

- Powder coated finish
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Optional Clipboard, Laptop Holder and Accessory Tray
- Fits 2 tubs in either No.7, No. 10 and No.15. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T3094	Twin Offset Tub Trolley	250	125	1050x450x1300	15
T3191	Clipboard Holder Attachment				
T3192	Laptop Holder Attachment				
M1843	Mesh Basket Accessory Tray				

## Fully Welded 4 Tub Picking Trolley

- Fully welded steel construction
- Powder coated finish
- Rubber castors - 2 x fixed, 2 x swivel
- Mesh base - 55x55mm mesh
- 25mm square tube fully welded frame
- Height to top lip: 830mm
- Fits 4 x No.4 or 4D plastic tubs. Plastic tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Base Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8694	300	100	850	960x655	1130x650x850	21

## Ezi Mover Trolley

- Black powder coated frame
- Fits 1 tub in either No.7, No.10 and No.15. Plastics tubs are sold separately which are available in 6 colours (black, blue, green, red, white and yellow)
- Trolley shown with bin which is sold separately
- Rear pneumatic wheel and rubber front castor



### Durolla™

Code	Load Capacity (kg)	Front Castors (mm)	Rear Wheels (mm)	Height to top lip (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
EM590	70	125	230	730	1040x570x860	10

## 2 & 3 Tier Plastic Utility Carts

- Heavy duty plastic construction which resists dents, chips and rust - virtually maintenance free!
- Built in storage bin in the handle which is great for storing small parts or tools
- Sturdy and stable but lightweight making it easy for manoeuvrability
- Round corners which avoid marking of walls and furniture from sharp edges
- Rubber castors - 2 x fixed, 2 x swivel



### Durolla™

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Distance Between Trays (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T2052	250	125	840	500	950x650x110	1170x650x840	21
T2053	250	125	840	200	950x650x110	1170x650x840	28



## 3 Tier Utility Service Cart

- Heavy duty plastic construction which resists dents, chips and rust.
- Supplied standard with 2 removable buckets
- Small bucket size (LxWxH): 360x290x360mm
- Large bucket size (LxWxH): 360x290x560mm
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Top Shelf Size (mm) Internal	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	450x740	1395x520x975	19

Code	Details
M7100	3 Tier Utility Service Cart

### VERDEX

### 3 Tier Utility Carts

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Rubber castors - 2 x swivel, 2 x swivel with brakes



M1451



M1452

## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1451	3 Tier Utility Service Trolley (Narrow)	180	75	485x365	660x380x900	6
M1452	3 Tier Utility Service Trolley	180	100	615x450	810x500x970	10

### Utility Carts (With Side Panels)

- These utility carts have the same specifications as the other 3 tier utility carts with the added benefit of polypropylene side panels
- Rubber castors - 2 x swivel, 2 x swivel with brakes



M1455



M1456

## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1455	3 Tier Utility Cart (with sides)	250	100	680x450	870x500x1010	15
M1456	Extra Long 3 Tier Service Cart (with sides)	250	100	920x520	1110x520x1010	21

### 2 Tier Utility Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- These utility carts have the added benefit of polypropylene side panels
- Rubber castors - 2 x swivel, 2 x swivel with brakes



M1483



M1482

## VERDEX

Code	Details	Load Capacity (kg)	Castors (mm)	Tray Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1482	2 Tier Utility Service Cart (with side panels)	250	100	680x450	870x480x950	11
M1483	Optional Drawer with Lock to suit					

## 2 Tier Utility Service Cart (Extra Long)

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Load Capacity: 250kg
- Castors: 100mm
- Shelf Size: 915x520mm
- Overall Size (LxWxH): 1100x520x950mm
- Unit Weight: 13kg

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	915x0	1100x520x950	13

Code	Details
M1481	2 Tier Utility Service Cart



# VERDEX

## 2 Tier Utility Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Rubber castors - 2 x swivel, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	870x500x950	9

Code	Details
M1480	2 Tier Utility Service Cart



# VERDEX

## 3 Tier Utility Cart

- Versatile functional carts for food service, catering etc
- Lightweight, strong, reinforced polymer construction with aluminium posts
- Rubber castors - 4 x swivel

# VERDEX

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
150	75	910	600x430	845x430x910	10

Code	Details
T7071B	3 Tier Utility Cart



## 2 Tier Tool Trolley (With Drawers)

- Twin drawers with ball bearing sliders and quick return system
- Top drawer depth: 60mm
- Bottom drawer depth: 80mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	870x500x950	20
Code	Details			
MI485	2 Tier Tool Trolley (with drawers)			



**VERDEX**

## Triple Deck Tool Cart (With Tool Board & Drawer)

- Single drawer with ball bearing sliders and quick return system
- Hooks sold separately
- Side can holder and tray supplied
- Drawer depth: 80mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes



**VERDEX**

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	900x500x1430	25
Code	Details			
MI465	Triple Deck Tool Cart (with tool board & drawer)			

## 3 Tier Tool Trolley (With Drawer)

- Single drawer with ball bearing sliders and quick return system
- Drawer depth: 80mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes

**VERDEX**

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	780x500x1010	15
Code	Details			
MI460	3 Tier Tool Trolley (with drawer)			



## Quad Deck Tool Cart (With Tool Board)

- Excellent tool cart with square hole pegboard
- Supplied with accessories
- Tray depth: 50mm
- Nylon castors - 2 x swivel, 2 x swivel with brakes



### VERDEX

Load Capacity (kg)	Castors (mm)	Platform Heights (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
300	100	170 + 370 + 570 + 770	585x405	680x430x1215	24
Code		Details			
M1466		Quad Deck Tool Cart (with tool board)			

## Computer/AV Carts

- Slide out keyboard tray
- M1472 features two slide out trays
- Rubber castors - 2 x swivel, 2 x swivel with brakes



### VERDEX

Code	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1470	250	100	620x450	810x510x1160	18
M1472	250	100	610x460	610x520x910	28

Code	Details
M1470	Plastic Computer/AV Cart
M1472	Steel Computer/ AV Cart

## Steel Utility Cart (3 Drawers + 3 Shelves)

- Comes complete with 3 drawers and 3 shelves
- Drawers and middle shelf can be removed if not required
- Shelf Depth: 50mm
- Poly castors - 2 x fixed, 2 x swivel with brakes



Load Capacity (kg)	Castors (mm)	Shelf Capacity (kg)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
150	125	50	715x410	830x420x870	23
Code		Details			
T9348		Steel Utility Cart			

### VERDEX



## Plastic Tub Service Cart

- Supplied with plastic tubs as pictured
- Plastic tubs are made from recycled plastic and are not suitable for food applications
- Integrated frame handles
- Rubber castors - 2 x swivel, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Plastic Tub Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
15	75	990	530x390x150	600x400x990	11

Code	Details
M6970	Plastic Tub Service Cart



**VERDEX**

## 3 Tier Lockable Service Cart

- Heavy duty plastic construction which resists dents, chips and rust
- Polypropylene handles with aluminium frames
- Sturdy and stable but lightweight making it easy to manoeuvre
- Lockable front doors
- Rubber castors - 2 x swivel, 2 x swivel with brakes

**VERDEX**

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
250	100	680x450	870x500x1010	17

Code	Details
M1461	3 Tier Lockable Service Cart



## 3 Basket Trolley

- Supplied with plastic baskets as pictured
- Integrated frame handles
- Plastic Basket Size (LxWxH): 510x360x200mm
- Nylon castors - 2 x swivel, 2 x swivel with brakes

Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
50	100	500x400	520x470x1085	11

Code	Details
M1525	3 Basket Office Trolley



**VERDEX**

## Stainless Steel Platform Trolleys

- Fixed handle
- 304 grade stainless steel
- Rubber castors - 2 x fixed, 2 x swivel with brakes




**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
ST615	600	200	970	915x610	280	41
ST616	600	200	970	1220x760	280	46

## Heavy Duty Aluminium Platform Trolleys

- Lightweight and corrosion resistant
- Highly maneuverable heavy duty construction
- Checker plate deck
- Removable handles (comes standard with 1 Handle)
- 3 standard sizes available
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes
- Optional pneumatic wheel kit available includes 2 swivel wheels with brakes and 2 fixed wheels



**Durolla™**

Code	Details	Load Capacity(kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
17260	Platform Trolley	500	150	1010	930x620	260	22
17261	Platform Trolley	500	150	1010	1230x620	260	25
17262	Platform Trolley	500	150	1010	1530x770	260	30
17263	Optional 2nd Handle to suit Aluminum Platform Trolleys						
WKP10	Pneumatic Wheel Kit						



## Multi-Purpose Platform Trolleys (Folding Handle)

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Rubber castors - 2 x fixed, 2 x swivel



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
T9320	150	100	860	740x480	150	12
T9330	250	125	860	920x610	180	18

## Multi-Purpose Platform Trolleys (Fixed Handle)




- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Rubber castors - 2 x fixed, 2 x swivel



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
T9345	1 Handle	300	160	860	1150x750	240	35
T9346	2 Handle	300	160	860	1150x750	240	40

## Prestige Platform Trolleys

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Polyurethane castors - 2 x fixed, 2 x swivel



Brake Kit



T9331

T9332

T9340

**Durolia™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
T9340	1 Folding Handle	370	125	1000	610x920	190	17
T9331	1 Fixed Handle	370	125	1000	610x920	190	16
T9332	2 Fixed Handle	370	125	1000	610x920	190	20
T9341	Brake Kit to suit T9340, T9331 and T9332						

## Extra Large Prestige Platform Trolley

- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Polyurethane castors - 2 x fixed, 2 x swivel
- Optional pneumatic wheel kit available includes 2 swivel wheels and 2 fixed wheels



Pneumatic wheel kit




**Durolia™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
T9350	XL Platform Trolley	500	160	1000	1180x760	290	40
T9350H	Optional Extra Handle						
T9350P	Pneumatic Wheel Kit						

## Multi-Purpose Cage Trolleys

**Durolla™**

- Fitted with cage to stop goods falling off the platform
- The cage has fold down sides for easy loading and unloading
- Powder coated steel construction with vinyl platform
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Ergonomically designed with handle at optimum height
- Polyurethane castors - 2 x fixed, 2 x swivel



Brake Kit



Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T9324	Cage Trolley	220	100	1000	710x450	140	820x490x1000	19
T9333	Cage Trolley	370	125	1000	880x580	190	1000x620x1000	27
T9341	Brake Kit to suit T9333							

## Extra Large Prestige Platform Trolley (With Cage)

- Wire cage has fold down sides to make loading and unloading easier
- Powder coated steel construction with vinyl decks
- Surround bumper on perimeter of trolley to minimize damage to walls and equipment
- Cage height: 770mm
- Polyurethane castors - 2 x fixed, 2 x swivel
- Optional pneumatic wheel kit available includes 2 swivel wheels and 2 fixed wheels
- Platform height with pneumatic wheels: 310mm



Pneumatic wheel kit



**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T9338	Platform Trolley	500	160	1000	1170x770	240	1270x770x1000	47
T9338P	Pneumatic Wheel Kit							

## Steel Platform Trolleys

- Available in 3 sizes
- Removable handle
- Durable baked enamel paint finish
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolia™**

Code	Load Capacity (kg)	Castors (mm)	Overall Length (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
T3051	540	200	1020	970	920x610	280	32
T3052	540	200	1320	970	1120x610	280	36
T3054	540	200	1620	970	1520x760	280	49

## Heavy Duty Steel Platform Trolleys

**Durolia™**

- Available with single or double handle versions
- Fully welded steel construction
- Powder coated blue
- Rubber castors - 2 x fixed, 2 x swivel with brakes
- Optional centre wheel kit available for easy turning in tight spaces



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Length (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Unit Weight (kg)
T3080	1 Handle	500	150	1210	1000	1100x600	235	34
T3083	2 Handle	500	150	1320	1000	1100x600	235	40
T3085	Centre Wheel Kit*							

\*The front and back castors will be changed to all swivel if the centre wheel kit is required

## Nestable Platform Trolley

- Can be nested for compact storage
- Electro galvanised construction and powder coated handles
- Rubber castors - 4 x swivel



## VERDEX

Code	Load Capacity (kg)	Castors (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1260	200	125	850x600	1170x700x980	22

## Foldable Plastic Deck Trolley

- Extremely lightweight and compact
- Handle Height Extended: 920mm
- Rubber castors - 2 x fixed, 2 x swivel



## Durolla™

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Folded Size LxWxH (mm)	Unit Weight (kg)
T8435	150	100	720	670x405	405x670x85	6



## V-Cart Folding Aluminium Trolley *See page 24 & 25*

## Timber Deck Wagon Platform Truck

- Swivel handled platform truck for moving and turning easily
- The platform is reinforced with steel cross bars for extra strength
- Heavy duty timber platform
- Powder coated blue
- Rubber castors - 2 x fixed, 2 x swivel

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
700	250	1100	1200x700	1200x700x1100	60

Code	Details
T8400	Timber Deck Wagon Platform Truck



**Durolla™**

## Wagon Platform Truck (With Sides)

- Swivel handled platform truck for moving and turning easily
- Timber floor and side panels
- The platform is reinforced with steel cross bars for extra strength
- Powder coated blue
- Side Panel Height: 610mm
- Rubber castors - 2 x fixed, 2 x swivel

Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
700	250	1100	410	1200x700	1440x700x1100	76

Code	Details
T8401	Wagon Platform Truck (with sides)



**Durolla™**

## All Terrain Platform Trolley

- Heavy duty trolley construction
- Handle activated brake
- Swivel handle for steering the trolley
- Powder coated frame with plywood deck
- Optional sides available
- 4 x pneumatic wheels with steel rim



**Durolla™**

Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1063	All Terrain Platform Trolley	1300	300	1200x690x397	49
M1064	Optional Sides to suit All Terrain Platform Trolley (300mm high)				



## Mesh Trolley with Folding Lid & Side


- The Mesh Trolley is able to hold items safely and securely due to the attached lid.
- Foldable side and lid for easy access to products
- Comes with a padlock hook which allows the trolley to be securely locked when not in use
- Mesh Size: 50x50mm
- Electro galvanised finish
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1682	150	100	1180x662x858	28

## Mesh Trolley

- Electro galvanised finish
- Optional lid for storing items securely
- Polyurethane castors - 2 x swivel, 2 x swivel with brakes



Optional Lid



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1683	Mesh Trolley	100	125	830x630x735	18
M1684	Optional Lid for Mesh Trolley				2

## Cage Trolley with Removable Sides


- Removable sides for ease of access to platform.
- Height of handle can be adjusted
- Electro galvanised finish with white laminate base
- Rubber castors - 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1675	300	160	1190x650x1025	36

## Scooter Trolley

- Comes standard with single base shelf
- Optional extra shelf, clipboard writing panel and cage basket
- Rubberized handles for ergonomic grip.
- Base plate with anti-slip surface.
- Bell on handle to alert people when approaching
- Rubber surround on base shelf
- Rubber wheels - Rear wheel has brake



Code	Details	Capacity (kg)	Wheels (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1720	Scooter Trolley	200	200	1470x70x1020	42
M1721	Optional Shelf (used to make a 2nd tier)			520x610 (LxW)	8
M1722	Optional Clipboard Writing Panel			340x248 (LxW)	2
M1723	Optional Cage Basket			541x645x535	7

## Wire Cage Trolley (With Fold Down Side)

- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Mesh size: 75x75mm
- Polyurethane castors - 2 x fixed, 2 x swivel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Gate Height (mm)	Platform Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T5200	500	150	850	520	225	1040x640x630	1200x720x850	40

## Wire Cage Trolley (With Hinged Lid)

- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Gate Height (mm)	Platform Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T5201	500	150	850	520	225	1040x640x630	1200x720x850	52

## Solid Cage Trolley (With Fold Down Side)

- Front cage folds down for easy access to trolley
- Quality castors for smooth and effortless moving
- Powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T5203	500	150	850	1040x645x630	1200x720x850	47



## Fully Welded 2 Tier Trolley

- Fully welded steel construction
- Powder coated finish
- Mesh cage sides - 25x25mm size mesh
- 25mm square tube fully welded frame
- Base Height: 175mm
- Clearance Between Top and Bottom Shelf: 415mm
- Height To Top Platform: 620mm
- Depth of Top Tray: 225mm
- Rubber castors - 2 x fixed, 2 x swivel with brakes

**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Platform Size (mm)	Internal Size of Top Shelf (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8695	300	125	940	905x605	845x550	1046x605x940	35

## Fully Welded Cage Trolley

- Fully welded steel construction
- Powder coated finish
- Drop down front which makes it easy for loading and unloading
- Mesh cage sides - 50x50mm size mesh
- 25mm square tube fully welded frame
- Height to Top Rail: 860mm
- Height to Middle Rail: 535mm
- Rubber castors - 2 x fixed, 2 x swivel with brakes



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Base Height (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8696	300	125	980	175	850x550x670	1090x630x980	33

# Heavy Duty Goods Trolley




- This goods trolley is able to be completely folded when not in use
- Multi-purpose trolley with lockable gates is ideal for transporting goods safely and securely
- Powder coated finish
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Optional pneumatic wheel kit available - Includes 2 fixed wheels and 2 swivel wheels with brakes



Optional Pneumatic Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels



Trolley can be folded for nesting when not in use



Fold out doors for easy access to items inside



Trolley shown with optional pneumatic wheel kit

Code	Details	Load Capacity (kg)	Castors (mm)	Internal Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T4065	Goods Trolley	500	125	1030x720x750	1085x795x990	75
WKPI0	Pneumatic Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels					

# Heavy Duty Goods Trolley with Shelf



- An extremely versatile goods cage with the space saving benefit of being able to be collapsed easily for storage when not in use.
- Fitted with a fold up upper shelf and 270 degree opening lockable gates, this cage can be used in a single or a two shelf configuration.
- Powder coated finish
- Lower Shelf Height Space: 780mm
- Upper Shelf Height Space: 700mm
- Lower Shelf Height: 205mm
- Upper Shelf Height: 1010mm
- Rubber castors - 2 x swivel, 2 x swivel with brakes
- Optional pneumatic wheel kit available - Includes 2 fixed wheels and 2 swivel wheels with brakes




Optional Pneumatic Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels



Trolley can be folded for nesting when not in use



Trolley shown with optional pneumatic wheel kit



2 door configuration is ideal for moving different products

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T4975	Goods Trolley with Shelf	500	125	1030x750	1100x800x1700	90
WKP10	Pneumatic Wheel Kit - Includes 2 Swivel Wheels with Brakes and 2 Fixed Wheels					

## Large 3 Tier Linen Trolley

- 3 large storage shelves
- Powdercoated finish
- Quality 200mm rubber castors (2 fixed, 2 swivel)
- Corner buffers
- Built in enclosed handle
- Mesh back and sides



Code	Load Capacity (kg)	Distance between shelves (mm)	Overall Size LxWxH (mm)
T1429	250	350	1200x500x1500

## Laundry / Stock Cages



### 4 Sided Cage Trolley

- Split front gate and full rear gate
- 2 Fixed Shelves
- Bright zinc pp finish
- 2 x swivel castors
- 2 x fixed castors



### 2 Sided Cage Trolley

- Comes complete with two restraining straps with hooks
- 2 Fixed Shelves
- Bright zinc pp finish
- 2 x swivel castors
- 2 x fixed castors



Code	Details	Load Capacity (kg)	Overall Size HxDxW (mm)	Unit Weight (kg)
19340	2 Sided Cage Trolley/ stock cage	400	1770x800x760	39
19341	4 Sided Cage Trolley/ stock cage	400	1770x800x705	48

## 4 Door Stock Trolley


- Self nesting - hinged shelves - large double folding gates
- Floor folds up for nesting
- Doors are removable
- Bright zinc pp finish
- 2 x swivel castors
- 2 x fixed castors



Code	Load Capacity (kg)	Overall Size LxWxH (mm)
19395	500	750x850x1852

## Heavy Duty Sloping 4 Shelf Trolleys

- Heavy duty bolt together trolley
- 4 backwards sloping shelves which prevents items falling off
- Shelves are removable but not adjustable
- Shelves have 10° decline
- 350mm space between each shelf
- Push/pull handles on each end
- Rubber castors: 2 fixed, 2 swivel with brakes



Shelves are reinforced underneath for extra strength



19344



19345

**Durolia™**

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
19344	Sloping Shelf Trolley - 1410mm wide	500	150	1160x580	1410x620x1770	94
19345	Sloping Shelf Trolley - 1730mm wide	500	150	1460x730	1730x770x1770	122



## Lockable Cage Trolley

- Comes with 3 steel shelves plus the base shelf
- Shelf Heights: 650mm, 1050mm and 1440mm
- Base Height: 270mm
- Key lockable
- Mesh Size: 50x50mm
- Powder coated finish
- Rubber castors - 2x fixed, 2x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Handle Height (mm)	Shelf Size LxW (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8430	500	200	940	1170x730	1300x750x1790	55

# Heavy Duty Security Cage Trolley

- Fully lockable security cages available in 2 versions (Bar or Mesh)
- The base folds up for compact storage which is great if you have multiple trolleys so they can be nested together to save space
- Optional heavy duty removable shelves available as pictured
- Supplied with a lockable security bar at the front
- Comes with signboard area on the side
- Powder coated finish
- Base Height: 225mm
- Distance Between Shelves: 330, 360, 360, 300mm (bottom to top)
- Shelf Capacity: 125kg (evenly distributed)
- Rubber castors - 2 x swivel, 2 x swivel with brakes



**T5315M**  
Mesh version  
with 2 shelves

**Durolla™**



**T5315B - Bar version**  
with 3 shelves



*Doors able to be folded back for  
complete access to product inside*



*Able to be folded  
for compact storage*




Image of underside of shelf



Latch to keep doors firmly shut



Signboard Area

Code	Details	Load Capacity (kg)	Castors (mm)	Shelf Size WxD (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T5315B	Cage Trolley - Bar Version	500	150	1020x750	1100x850x1700	50
T5315M	Cage Trolley - Mesh Version	500	150	1020x750	1100x850x1700	55
T5315S	Optional Shelves to suit					

## Steel Triangular Frame Panel Cart

**Durollo™**

- Heavy Duty welded steel construction
- Rubber castors - 2 x fixed, 2 x swivel with brakes



Load Capacity (kg)	Castors (mm)	Front Platform Height (mm)	Back Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
500	150	330	220	380x1200	580x1200x1160	40
Code		Details				
T8440		Triangular Panel Cart				

*Raised Platform to ensure goods don't fall off in transit*

## A Frame Panel Cart

- Large platform for transporting long items
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes




**Durollo™**

Code	Load Capacity (kg)	Castors (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8668	1000	125	230	1830x815	1915x920x1400	120

## Heavy Duty Panel Rack Cart

- Heavy duty steel construction with powder coated finish
- Middle divider post can be removed
- Space Between Bars: 310mm
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



Bars can be removed if required for carrying of larger items



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8667	2000	125	220	770x915	770x915x970	79

## Panel Rack Cart with Tool Bin

- Steel construction with powder coated finish
- Convenient tool bucket located in middle of unit for storing small parts and tools
- Bucket is removable if not required
- Easy loading rollers included on 1 end
- Space Between Outer Bars: 70mm
- Space Between Inner Bars: 205mm
- Heavy duty resin castors - 2 x fixed, 2 x swivel with brakes



Tool bucket supplied with cart  
Overall Size (LxWxH):  
510x270x190mm



**Durolla™**

Code	Load Capacity (kg)	Castors (mm)	Platform Height (mm)	Platform Size (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T8666	700	100	200	685x810	820x690x1120	51

## A Frame Panel Trolley


- Optional trestle racks available for the storage of long lengths at different heights
- Electro galvanised 'A Frame'
- Rubber castors - 2 x fixed, 2 x swivel with brakes



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1261	A Frame Panel Trolley	500	200	1000x700x1380	46
M1262	Trestle Racks to suit A Frame Panel Trolley				

## Panel Cart with Adjustable Load Bars

- Bars can be set at different spacing so that a variety of different sized products can be transported.
- Electro galvanised finish
- Supplied standard with 2 load bars, but can be fitted with up to 7 bars at once
- Rubber castors - 2 x fixed, 2 x swivel with brakes



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
M1265	Panel Cart	500	200	1250x700x945	39
M1266	Additional Load Bars to suit Panel Cart				

## Transport Trolley with Storage Basket

- Steel frame and heavy duty plywood base
- Handy basket for storage of small items
- Very manoeuvrable due to the centre wheels
- 2 x swivel rubber castors with brake
- 2 x pneumatic fixed centre wheels



Load Capacity (kg)	Pneumatic Wheels (mm)	Rubber Castors (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
500	260	200	320	1000x700x1250	36

Code	Details
M1248	Transport Trolley

## Equipment Mover Set

- Winch handle geared mechanism
- Non marking castors
- Sold as a set of 2 only
- Ratchet straps are included



Code	Load Capacity (kg)	Castors (mm)	Lifting Height (mm)	Lifting Plate Size (mm)	Overall Size LxWxH (mm)	Weight per Set of 2 (kg)
ST4026	600	150	300	120x225	570x390x825	34



## Flat Equipment Moving Dollies

- Great for moving furniture and equipment due to their low height and high capacity
- Both models come with 4 heavy duty swivel castors
- **ST4024** is made from polypropylene with steel tubing. Rubber moulds on each end to protect items from scatching and marking. Supplied with nylon castors
- **ST4025** has a non slip vinyl platform with a PVC bumper strip around the edge. Supplied with polyurethane castors.



Code	Details	Load Capacity (kg)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
ST4024	Flat Equipment Moving Dolly	350	75	765x460x130	6
ST4025	Flat Platform Steel Dolly	370	125	920x620x180	15

## Forklift Waste Tipping Bin

- Fitted standard with 2 front wheels and 1 rear wheel for easy wheeling throughout workplaces
- Simply pull the cord or handle which releases mechanism for tipping into larger bins or skips
- Painted finish
- Height to top of lip: 710mm
- Polyurethane castors - 2 x fixed, 1 x swivel with brake



Code	Load Capacity (kg)	Bin Capacity (L)	Castors (mm)	Fork Pocket Size (mm)	Fork Pocket Centres (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
WB2938	500	150	125	150x55	600	1160x750x905	95

## Waste Transport Bin

- Powder coated finish
- Pneumatic Wheels: 400mm diameter
- Single Rubber Rear Wheel: 200mm diameter



Load Capacity (kg)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	1390x740x920	55

Code	Details
M6060	Waste Transport Bin



## Bin Trolleys & Lids

- These bin trolleys are made from tough, impact resistant polyethylene and available in 6 common sizes and colours
- Both straight and tapered sides available
- Bins can contain liquids
- All bins are food grade
- Come standard with 4 heavy duty swivel castors (2 lockable)

Colours available



Handle available to suit all trolleys



Spring Loaded Scissor Bases Available to Suit Bin Trolleys

Code	Details	Rim Size LxW (mm)	Base Size (LxW)	Height (mm)	Capacity (L)	Style
T1052	Plastic Bin with castors	810x570	670x430	650	150	Tapered
T1053	Plastic Bin with castors	1150x635	1050x535	675	250	Straight
T1054	Plastic Bin with castors	1020x720	880x580	775	350	Tapered
T1051	Plastic Bin with castors	990x690	900x600	820	340	Straight
T1055	Plastic Bin with castors	1320x720	1180x580	775	450	Tapered
T1057	Plastic Bin with castors	1230x730	1140x640	820	450	Straight
T1056	Plastic Bin with castors	1480x880	1380x780	820	650	Straight
T1052L	Lid to suit T1052					
T1053L	Lid to suit T1052					
T1054L	Lid to suit T1052					
T1055L	Lid to suit T1052					
T1060	Handle to suit plastic tubs 150-250L					
T1061	Handle to suit plastic tubs 350-650L					

## Bin Trolley & Tubs

- Heavy duty rotomoulded tub with dolly.
- Tubs sold separately to dolly.
- Plastic tubs available in blue or white.
- Bins are food grade.
- Overall Size: 1130L x 600W x 600H (mm)



Code	Details
T1105	Plastic Bin Trolley - Powdercoated Red
T1107	Blue Plastic Bin - 400L suits trolley T1105
T1108	White Plastic Bin - 400L suits trolley T1105



## Plastic Bin Trolleys

- Heavy duty rotomoulded tub with 25mm steel tubular frame
- Internal Base Dimension (WxL): 500x780mm
- Internal Top Dimension (WxL): 615x910mm
- Outer Rim Dimension (WxL): 740x1045mm
- Height From Ground To Top Rim: 740mm
- Nylon castors - 2 x fixed, 2 x swivel
- Load Capacity: 400kg
- Bin Capacity: 400L
- Castors: 100mm
- Handle Height: 780mm
- Both Tubs are ribbed for extra strength
- Tubs available to buy separate from the Tub Trolley



T1125



T1120



T1130W



T1130B

Code	Details	Overall Size LxWxH (mm)	Unit Weight (kg)
T1120	Bin Trolley (Blue)	1200x740x780	25
T1125	Bin Trolley (White)	1200x740x780	25
T1130B	Blue 400L Tub	see description in text above	8.5
T1130W	White 400L Tub	see description in text above	8.5

**VERDEX**

## 350L Waste Collection Trolley

- Pull handle which releases the bin forward
- Rubber wheels - 2 x fixed, 1 x swivel




**VERDEX**

Code	Load Capacity (kg)	Bin Capacity (L)	Front Wheel Size (mm)	Rear Wheel Size (mm)	Bin Size LxWxH (mm)	Unit Weight (kg)
WB2980	350	350	340	125	1350x850x1040	72

## Mesh Trolley with Folding Lid

- Lockable lid ensures that goods can be stored securely in high traffic areas
- White powder coated finish
- Polyurethane castors - 4 x swivel



### VERDEX

Load Capacity (kg)	Castors (mm)	Size of Basket (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
100	100	770x400	800x600x915	18

Code	Details
M1680	Mesh Trolley with Folding Lid

## Plastic X Shape Laundry Cart

- Lightweight trolley which is great for carting linen or waste
- Easily remove the waste bag by unhooking from the frame
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

Load Capacity (kg)	Volume Capacity (L)	Castors (mm)	Folded Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
60	178	75	660x440x1100	690x660x950	10

Code	Details
T9070	Plastic X Shape Laundry Cart



### VERDEX

## X Shape Laundry Cart 150L

- Lightweight trolley which is great for carting linen or waste
- Can be folded when not in use
- Strong vinyl bag
- Rubber castors - 4 x swivel

Load Capacity (kg)	Volume Capacity (L)	Castors (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
100	150	100	620x620x995	10

Code	Details
M9060	X Shape Laundry Cart - 150L



### VERDEX


# Heavy Duty Appliance Trolleys



- Available in flat free or solid stair climber wheels tyres



Nylon Support Wheels




Clear Plastic Protection Sleeves



M1256 - Appliance Strap



Great for moving cartons



Code	Details	Load Capacity (kg)	Foot Size WxD (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
M1250	Heavy Duty Appliance Trolley - Stair Climber	220	450x200	450x560x1545	22
M1254	Heavy Duty Appliance Trolley - Flat Free	220	470x175	720x500x1260	18
M1255	Heavy Duty Appliance Trolley - Flat Free	220	455x185	570x640x1550	19
M1256	Appliance Strap Unit				

# Chair Trolley

- Lifts and moves stacks of chairs with ease
- Powder coated black finish
- Chair Capacity: 10 chairs
- Rubber castors - 2 x fixed, 2 x swivel



Load Capacity (kg)	Front Castors (mm)	Rear Castors (mm)	Handle Height (mm)	Overall Size LxWxD (mm)	Unit Weight (kg)
70	200	100	1120	1080x490x1350	15

Code	Details
T7736	Chair Trolley



## Industrial Hand Trolleys

- Industrial quality hand trolleys to suit a variety of applications

Code	Foot Size (mm)	Overall Size LxWxD (mm)	Unit Weight (kg)
T7730	350x190	560x465x1300	10.5
T7741	505x230	500x560x1330	22

Code	Details
T7730	Multi Purpose 'P' Handle Trolley
T7741	Heavy Duty Carton Trolley



## Folding Hand Trolley

- Extremely light weight folding hand trolley
- Foot Plate folds up and handle collapses for easy storage when not in use
- Rubber castors

Load Capacity (kg)	Castors (mm)	Foot Plate Size WxD (mm)	Closed Size WxDxH (mm)	Open Size WxDxH (mm)	Unit Weight (kg)
90	150	355x240	710x390x180	390x410x1090	6

Code	Details
T8442	Folding Handle Trolley

**Durolla™**



## 100kg Capacity Folding Transport Trolley

- Extremely light weight folding trolley
- Rubber castors

Load Capacity (kg)	Castors (mm)	Foot Plate Size WxD (mm)	Closed Size WxDxH (mm)	Open Size WxDxH (mm)	Unit Weight (kg)
100	175	486x280	490x60x850	490x450x1080	6

Code	Details
T8445	Folding Transport Trolley

**Durolla™**



# 150kg Capacity Aluminium Hand Trolley

- Great lightweight hand truck for general load carting
- Pneumatic tyres



Load Capacity (kg)	Castors (mm)	Foot Plate Size WxD (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
150	260	355x180	520x470x1260	10
Code	Details			
T8473	Aluminium Hand Trolley			



# Aluminium Convertible Hand Trolley

- Lightweight Aluminium Convertible Hand Trolley
- Quickly convert from a 2 wheel upright trolley to a 4 wheel platform trolley
- Load Capacity: two wheels status: 200kg; four wheels status: 250kg
- Pneumatic wheel size: 260mm
- Rubber wheel size: 125mm




Code	Load Capacity (kg)	Foot Plate Size WxD (mm)	Closed Size WxDxH (mm)	Open Size WxDxH (mm)	Unit Weight (kg)
M1180	200	460x180	470x520x1030	1180x520x1320	18

## Platform and Fork Lift Trolley

- The ideal trolley for lifting loads up to 150kg with ease
- Complies to AS1418.2
- Swappable accessories for handling of different loads
- Forks for lifting small pallets and skids
- Platform for general lifting
- Patented silent winch which locks the load at any height
- Steel cable which runs inside the mast to prevent pinching
- Puncture proof rear wheels
- Made from aluminium
- Platform Dimensions: 360x420mm (DxW)
- Fork Dimensions: 50x460mm (WxL)
- Load Capacity (with forks): 150kg
- Load Capacity (with platform only): 120kg

Folded view



L6990

Image shown with optional fork kit (L6990F)



Code	Details	Lift Height (mm)	Folded Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
L6990	Platform Lift Trolley	1030	300x500x1320	710x530x1320	27
L6990F	Fork Kit to suit L6990				

## Gas Cylinder Hand Trolleys

**Durolla™**



T2001  
Single Cylinder Trolley



T2002  
Double Cylinder Trolley

Code	Details	Castors (mm)	Cylinder Size Dia. (mm)	Overall Size WxDxH (mm)	Unit Weight (kg)
T2001	Single Cylinder Trolley	200	140-250	600x600x1360	17
T2002	Double Cylinder Trolley	390	140-250 x 2	690x690x1310	44

# Powered Platform Trolley

These powered heavy duty platform trolleys provide a strong 400kg capacity platform to move heavy items around your workplace.

- Available with a removable cage (as pictured) to avoid items falling off while moving.
- Platform has an anti-slip grip so that items don't slide off easily in transit.
- Rubber bumper edge
- Emergency stop button
- Comes with forward and reverse drive options
- Variable speed controller
- Powered by 2 x 12V / 33Ah batteries
- 2 x swivel castors
- 2 x pneumatic drive wheels
- Clearance From Battery Box to Ground: 65mm
- Electro magnetic brake
- Cage Height: 600mm
- Moving Speed: 5-8km/h



Shown with removable cage



**Durolia™**

Code	Load Capacity (kg)	Front Wheels (mm)	Rear Castors (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T9302	400	260	150	1080	1290x640	320	1420x630x1090	110

## Large Powered Platform Trolley

- Great for both indoor and outdoor use with high load capacity
- Platform has an anti-slip grip so that items don't slide off easily in transit
- Rubber bumper edge
- Supplied with removable cage
- Emergency stop button
- Forward and reverse drive
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Pneumatic wheels
- Clearance From Battery Box to Ground: 75mm
- Moving Speed: 5-8km/h
- Electro magnetic brake



Supplied standard with removable cage to prevent items falling off during transit



**Durolla™**

Code	Load Capacity (kg)	Wheels (mm)	Handle Height (mm)	Platform Size (mm)	Platform Height (mm)	Overall Size With Cage LxWxH (mm)	Unit Weight (kg)
T9308	800	310	950	1400x900	385	2070x900x980	170

## Powered Dump Truck

- Great for dirt, bark and rubbish removal in outdoor areas
- Emergency stop button
- Forward and reverse drive
- Variable speed controller
- Powered by 3 x 12V / 55Ah batteries
- Pneumatic wheels
- Moving Speed: 5-8km/h
- Lift Time: 15 secs
- Lift Angle: 45 degrees
- Electro magnetic brake



**Durolla™**

Code	Load Capacity (kg)	Wheels (mm)	Handle Height (mm)	Tray Height from Ground (mm)	Tray Size LxWxH (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
T9310	800	325	1000	740	1510x800x310	2250x810x1070	250



## Self Propelled Electric Scissor Lift Trolley (With Cage)



**LIFTEX**

- These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.
- With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow aisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- 4 x swivel castors with brakes
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds

Load Capacity (kg)	Castors (mm)	Middle Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Cage Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	150	275	1000x600	460-900	600	1240x600x1100	180

Code	Details
LT7240	Electric Scissor Lift Trolley (with cage)



## Self Propelled Electric Scissor Lift Trolley

- Powered Lift and Drive makes this unit ideal for a wide range of applications, including in hospitals and libraries
- 2 x rear swivel castors with brakes
- 2 x pneumatic drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



**LIFTEX**

Code	Load Capacity (kg)	Rear Castors (mm)	Front Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
LT7340	400	150	275	1000x600	460-900	1240x600x1100	180

## Self Propelled Electric Scissor Lift Trolley (High Lift)

- Double Scissor lift is optimal for reaching high spaces with heavy loads
- 2 x rear swivel castors with brake
- 2 x pneumatic drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



**LIFTEX**

Load Capacity (kg)	Rear Castors (mm)	Front Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	150	275	1100x600	460-1600	1340x660x1100	234

Code	Details
LT7440	Self Propelled Electric Scissor Lift Trolley (High Lift)

## Self Propelled Electric Scissor Lift Trolley with Cage (High Lift)

**LIFTEX**

- These self propelled lift tables take the effort of having to push heavy items manually as well as having electric operated lift.
- With the centre drive wheel it makes it extremely easy to manoeuvre loads in narrow aisles or tight spaces.
- Comes complete with side cage as pictured which can be easily removed if not required
- Includes centre wheel unit
- 4 x swivel castors with brake
- 2 x pneumatic centre drive wheels
- Batteries: 2x12V 33Ah
- Curtis Controller: 70A
- Motor (Driving): 400W
- Motor (Lifting): 400W
- Lifting Time: 17 seconds



Load Capacity (kg)	Castors (mm)	Middle Wheels (mm)	Table Size (mm)	Lifting Range (mm)	Cage Height (mm)	Overall Size LxWxH (mm)	Unit Weight (kg)
400	150	260	1000x600	450-1625	450	1340x600x1055	234

Code	Details
LT7640	Self Propelled Electric Scissor Lift Trolley with Cage (High Lift)

## Scissor Lift Trolleys (Single Scissor)



- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- The 150kg version code LT8701 has a foldable handle as pictured
- Durable powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
LT8701	150	100	700x450	225-730	46
LT8702	300	125	850x500	340-900	77
LT8703	500	125	850x500	340-850	81
LT8708	750	150	1000x510	435-1000	175

## Scissor Lift Trolleys (Double Scissor)



- These units help take the strain out of loading and unloading items from raised levels.
- The table is elevated by a pump action foot pedal and smoothly lowered by a hand operated release trigger.
- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Durable powder coated finish
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



LT8704



LT8707



LT8705

Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Lifting Range (mm)	Unit Weight (kg)
LT8704	350	125	910x500	380-1330	105
LT8707	500	150	1010x520	440-1615	168
LT8705	700	125	1220x610	445-1510	195

## Stainless Steel Scissor Lift Trolleys

- Foot operated hydraulic operation
- Lever release control
- Safety overload bypass valve
- Stepless rate of lowering regardless of load weight
- Scissor and pump unit is galvanised
- Stainless Steel Grade 304
- Polyurethane castors - 2 x fixed, 2 x swivel with brakes



Code	Load Capacity (kg)	Castors (mm)	Table Size (mm)	Handle Height (mm)	Lifting Range (mm)	Unit Weight (kg)
LT8714	100	100	700x445	1000	250-1220	55
LT8715	350	100	830x500	1000	330-1295	78

View our full range of products online



Lifting & Elevating Equipment



Containment & Spillage Control



Waste Handling Bins & Equipment




Shelving & Storage Equipment



Plastic Bins & Crates



Safety Equipment



## Custom Trolleys

MHA offer customers a wide range of custom trolleys to suit their particular manual handling problems and workplace needs. This means that if any of our existing range doesn't quite meet your specific requirements, we can tweak one, or combine styles to create a completely different and innovative trolley. These are some examples of our customised trolleys.



Nesting Flat Bed Trolley




Desk Trolley



Custom spring cage trolley



Custom sloping 3 tier trolley




Compartment tub trolley



Custom Lifting Trolley



Bar Trolley




Custom Panel Cart Trolley



Compartment Stock Trolley



Customised stock trolley



Custom Hospital Trolley



Carpet Lined Trolley

## 1000kg Liftex Smart Tow Tug

Compact design which makes it extremely maneuverable and easy to transport in vehicles. The smart and very compact design allows easy pulling operations in low duty applications on short distances.

- Max. 1000kg towing force.
- Easy to operate and smart design.
- Easy battery exchange.
- External charger.
- Compact and robust drive axle.
- Standard non-marking solid tires for different applications.
- Adjustable tiller / Handle for safe ergonomics
- Smooth acceleration, Step less speed control through electronic controller.
- Battery discharge indicator protects the battery against deep discharges.
- Travel Speed: up to 6km/h
- Programmable speed controller
- Battery: 24v, 18Ah
- Motor: DC 24v, 300w
- Tyres: Solid - 250mm
- Handle Height: 650-1050mm (adjustable)



**LIFTEX**

Code	Traction Capacity (kg)	Width (mm)	Unit Weight (kg)
ST1000	1000	465	65



# Compact Ride-On Electric Materials Handling Tug

The Liftex ride-on compact electric tug is the ultimate manual handling solution designed for goods transport for trolleys and anything that is difficult to push or pull.

The Liftex Materials Handling Electric Towing Tug is a ride-on unit that doesn't compromise its small size for a ride. Its compact size allows it to be effective in confined spaces, whilst being able to turn on its self. With a very low centre of gravity, the risk of tipping is greatly reduced. Its two front steer wheels create exceptional stability across many rough surfaces. This Tug has a Motor Voltage of 24 Volts.



Code	Push Capacity (kg)	Pull Capacity (kg)	Machine Size LxW (mm)	Overall Height (mm)	Platform Height (mm)	Wheel Base (mm)	Range (km)	Unit Weight (kg)
LT6953	1200	1500	790x660	1340	170	620	30-60	115



# ACCOUNT APPLICATION FORM

MHA Products  
ABN: 38 368 064 476  
Head Office Postal Address: PO Box 2157,  
North Parramatta NSW 1750  
Tel: (02) 8865 1800  
Fax: (02) 8865 1830  
Email: accounts@mhaproducts.com.au  
Bank: Westpac  
BSB No: 032-080  
Account No: 432546

Please complete this form and send to our head office by post, fax or email

COMPANY NAME			
HEAD OFFICE ADDRESS			
ABN NUMBER		HEAD OFFICE TELEPHONE NUMBER	
NO. OF PEOPLE EMPLOYED		YEAR BUSINESS COMMENCED	
TYPE OF BUSINESS			
CREDIT LIMIT REQUIRED		ESTIMATED MONTHLY PURCHASES	

## Account Contact Details

ACCOUNTS EMAIL ADDRESS	
ACCOUNTS CONTACT PERSON	
ACCOUNTS PHONE	
POSTAL ADDRESS	

## Primary Contact Person

EMAIL ADDRESS			
CONTACT NAME			
PHONE		MOBILE	
POSTAL ADDRESS			
DELIVERY ADDRESS			

## Alternative Contact Person

EMAIL ADDRESS			
CONTACT NAME			
PHONE		MOBILE	
POSTAL ADDRESS			
DELIVERY ADDRESS			

## Trade References (please supply 3 references)

COMPANY NAME		CONTACT NAME	
EMAIL		PHONE	
COMPANY NAME		CONTACT NAME	
EMAIL		PHONE	
COMPANY NAME		CONTACT NAME	
EMAIL		PHONE	

## ACKNOWLEDGEMENT

I, (Print Name) ..... acknowledge that the above information is true and correct.

SIGN HERE ..... POSITION HELD WITHIN THE BUSINESS .....

DATED ON BEHALF OF THE CUSTOMER .....

IN APPLYING FOR CREDIT, I AGREE ON MY/THE CUSTOMERS BEHALF, TO MHA Products's GENERAL TERMS AND CONDITIONS WHICH ARE WRITTEN ON THE FOLLOWING PAGE.