# Safety Barriers & PPE

**VERDEX**
*Incorporates* **MHA**

# Fixed Safety Bollards

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 3 options available however other sizes can be made to order to your particular specifications
- Powder coated finish

**V7420**

**V7427**
**Tru-Bolt to suit**

**V7421**

**V7422**

| Code | Details | Size (mm) | Diameter (mm) | Bolt Hole Size (mm) | Base Plate Size (mm) | Unit Weight (kg) |
|------|---------|-----------|---------------|---------------------|----------------------|------------------|
| V7420 | 'U' Bar High Bollard | 1068x1220 (HxL) | 115 | 22 | 203x203x10 | 29.5 |
| V7421 | 'U' Bar Low Bollard | 230x1220 (HxL) | 115 | 22 | 203x203x10 | 16 |
| V7422 | Fixed Straight Bollard | 915 (H) | 115 | 22 | 203x203x10 | 10.5 |
| V7427 | Tru-Bolt Galvanised 16x120mm (M16) | | | | | |

# Safety Bollards (Concrete Fillable)

- Ideal for protecting expensive equipment and racking from possible forklift damage
- Great for protecting edges of roller doors from truck damage
- 2 options available however other sizes can be made to order to your particular specifications
- The 1200mm high bollards (V7425 & V7426) can be concrete filled
- Available in Galvanised and Powder coated options
- Wall thickness: 3mm

**V7427**
**Tru-Bolt to suit**

**V7426**

**V7425**

Removable cap which allows bollards to be concrete filled if required

| Code | Details | Height (mm) | Diameter (mm) | Bolt Hole Size (mm) | Base Plate Size (mm) | Unit Weight (kg) |
|------|---------|-------------|---------------|---------------------|----------------------|------------------|
| V7425 | Galvanised Bollard | 1200 | 165 | 17 | 280x280x10 | 22 |
| V7426 | Powdercoated Yellow Bollard | 1200 | 165 | 17 | 280x280x10 | 22 |
| V7427 | Tru-Bolt Galvanised 16x120mm (M16) | | | | | |

# Safety Guard Rail Fencing

- Protect expensive equipment from forklift damage using bolt together post and panel modular system
- Heavy duty powder coat yellow steel construction
- Easily assembled and disassembled rail system
- Supplied with all necessary bolts and fixings
- Base Size of the post is 255x255x16mm

Double Rail

Single Rail

Corner Post Comes with bolt holes on two adjoining sides

Centre Post Comes with bold holes on two opposite sides

Base Size of the post is 255x255x16mm

V7435 –1120mm long

V7436 –1730mm long

V7437 –2340mm long

V7438 –2945mm long

V7430

V7432

V7431

V7433

| Code | Description | Dimensions (mm) | Height (mm) |
|---|---|---|---|
| V7430 | Single Height Corner/End Post | 100x100 | 470 |
| V7431 | Single Height Centre Post | 100x100 | 470 |
| V7432 | Double Height Corner/End Post | 100x100 | 1085 |
| V7433 | Double Height Centre Post | 100x100 | 1085 |

| Code | Description | Height (mm) | Length (mm) |
|---|---|---|---|
| V7435 | Safety Rail Section | 370 | 1120 |
| V7436 | Safety Rail Section | 370 | 1730 |
| V7437 | Safety Rail Section | 370 | 2340 |
| V7438 | Safety Rail Section | 370 | 2945 |

# Pedestrian Handrail Barrier System

Our modular pedestrian barrier system is very easy to install with 2 metre long rails to form a continuous barrier or can be cut to your desired length. The 950mm high posts simply lock together with pre-fitted couplings.

Our system uses rounded corners which allow you to have a continuous handrail along winding passageways and around corners.

- No welding required, easily assembled and versatile
- Made to Australian Standards AS 1428.1:2021 and AS 1657:2018
- Powder coated yellow Post and Rail
- Hot Dipped Galvanised Cast Iron Connectors and Base Flange
- Post Rails: 48 (D) x 950mm
- Horizontal Rails: 48 (D) x 2000mm
- All Post are supplied with 2 x M10 60mm Galvanised Dynabolts

**V7470**

**V7471 – End Post**

**V7472 – Centre Post**

**V7473 – Corner Post**

**V7474 - 4 Way Center Cross Coupling Set**

**V7475 – Side Outlet Tee Set**

**V7470** Pedestrian Rail with **V7471** End Posts



**V7470** Pedestrian Rail with **V7471** End Posts
& **V7472** Centre Posts



**V7470** Pedestrian Rail with **V7471** End Posts



**V7470** Pedestrian Rail with **V7471** End Posts
& **V7473** Corner Posts

| Code | Description | Unit Weight (kg) |
|------|-------------|------------------|
| V7470 | 2M Pedestrian Handrail (sold as a pair) | 14 |
| V7471 | Pedestrian Handrail (End Post) | 5.5 |
| V7472 | Pedestrian Handrail (Centre Post) | 6 |
| V7473 | Pedestrian Handrail (Corner Post) | 6 |
| V7474 | 4 way Center Cross Coupling Set (sold as a pair of 2) | 2.7 |
| V7475 | Side Outlet Tee Set (sold as a pair of 2) | 2 |

# Single Belt Retractable Post Barrier with 2m Belt

- Used as a portable crowd control and for other settings to manage and guide the flow of people.
- Consists of a retractable belt within a post, allowing for easy set up and removal.
- Black coloured Belt
- Cast Iron Black Base with Steel Cover
- Built in Rubber Floor Protectors
- Black Powder Coated Finish
- Diameter of Base: 350x25mm



**V7414**

**V7413**

| Code | Length (mm) | Width of Belt (mm) | Height (mm) | Unit Weight (kg) |
|------|-------------|--------------------|-------------|------------------|
| V7413 | 2000 | 50 | 1000 | 9.3 |
| V7414 | 2000 | 50 | 1000 | 9.5 |

# Wall Mount Retractable Barrier with 10m Belt

- Setting up the display is straightforward with the included hardware kit.
- Black & yellow diagonal stripes for hazard alert
- This unit offers flexibility as it includes all combinations of fixings and mounts - Retractable belt is 10m long, making it easy to section off any area
- The unit can be mounted to the wall by Magnetic, Adhesion or screws
- Available in 5m and 10m lengths

*Please Note - V7416 is too wide to fit on the front face of most standard pallet racking*



| Code | Details | Length (mm) | Unit Weight (kg) |
|------|---------|-------------|------------------|
| V7416 | Wall Mount Retractable Barrier with 5m Belt | 10,000 | 1 |
| V7417 | Wall Mount Retractable Barrier with 10m Belt | 5000 | 0.6 |

# Safety Swing Gate

- Self closing gate is designed to restrict access to areas of potential hazard
- Authorised Personnel Only sign supplied (x2)
- Adjustable to suit 830-1280mm openings
- Suits ball fence & SHS up to 50mm
- Gate swings inward
- Fits left and right hand openings, inwards opening
- Can be used with ball fence gates
- Bulit-in gate stop
- Self-closing stainless steel spring hinges
- Zinc Finish
- V7454 Base Plate Size: 150x150mm

**V7455**

**V7455** pictured with
2 x **V7454** (Posts to suit)

| Code | Details | Overall Length (mm) | Height (mm) | Width (mm) | Unit Weight (kg) |
|------|---------|---------------------|-------------|------------|------------------|
| V7455 | Safety Swing Gate | 910–1360 | 440 | 110 | 10 |
| V7454 | Post to suit V7455 | - | 1000 | - | 5 |

# Adjustable Safety Swing Gate

- Self closing gate is designed to restrict access to areas of potential hazard
- Adjustable to suit 780-1330mm openings
- Suits ball fence & Pedestrian Handrail System
- Gate swings inward
- Fits left and right hand openings, inwards opening
- Built-in gate stop
- Heavy Duty Self-closing hinges
- Powder Coat Finish
- V7477 is supplied with 2 x Vinyl Stickers (400x300mm)

**V7477**

**V7476**

**V7477** pictured with
**V7476K** Safety Gate

| Code | Details | Overall Length (mm) | Overall Size (mm) | Unit Weight (kg) |
|------|---------|---------------------|-------------------|------------------|
| V7476K | Adjustable Safety Gate | 890 - 1440 | 440x50 (WxD) | 11 |
| V7477 | Adjustable Safety Gate Sign Holder | - | 512x425x53 (HxWxD) | 4 |

# 3 Metre Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Compact design
- Rubber castors - 4 x swivel with brakes



| Code | Castors (mm) | Base Width (mm) | Collapsed Size LxH (mm) | Expanded Size LxH (mm) | Height with castors (mm) | Height without castors (mm) | Unit Weight (kg) |
|---|---|---|---|---|---|---|---|
| V7412 | 50 | 305 | 350x1030 | 3000x1030 | 1030 | 970 | 6 |

# 5 Metre Double Expanding Barrier

- Made from powder coated steel, aluminium and high-tech plastics
- Colour: Black/Yellow
- Rubber castors - 6 x swivel with brakes



| Code | Castors (mm) | Base Width (mm) | Collapsed Size LxH (mm) | Expanded Size LxH (mm) | Height with castors (mm) | Height without castors (mm) | Unit Weight (kg) |
|---|---|---|---|---|---|---|---|
| V7410 | 50 | 305 | 540x1030 | 5000x1030 | 1030 | 970 | 11 |

# 7.1 Metre Expanding Barrier

- Made from powder coated steel and aluminium
- Colour: Black
- Rubber castors - 8 x swivel with brakes

| Code | Castors (mm) | Base Width (mm) | Collapsed Size LxH (mm) | Expanded Size LxH (mm) | Barrier Tube Size (mm) | Post Size (mm) | Unit Weight (kg) |
|------|--------------|-----------------|--------------------------|-------------------------|-------------------------|----------------|-------------------|
| V7415 | 75 | 460 | 560x2050 | 7100x1930 | 20x20 | 40x40 | 36 |

# Light Weight Expanding Barrier

- Portable, lightweight and durable
- Built-in handle and locking strap for ease of handling
- Corrosion resistant
- Use indoors or outdoors
- Safety yellow and black plastic construction
- Injection moulded ABS plastic
- Width: 2.4 metres expanded (250mm closed)

| Code | Height (mm) | Width expanded (mm) | Width closed (mm) | Unit Weight (kg) |
|------|-------------|----------------------|--------------------|-------------------|
| V7409 | 970 | 2400 | 250 | 3 |

# Heavy Duty Floor Angles

- Verdex's Floor Angles are durable and essential for high-traffic areas.
- Designed to prevent pallets or other items from obstructing walkways and creating damage to assets or structures
- Heavy duty steel construction
- Hole Diameter: 18mm
- Please note; 9 V7483 Screw Bolts are required for V7486, 3 for V7487 and 3 for the V7488 (purchased seperately)

**V7486**

**V7488**

**V7487**

**V7483**
Screw Bolt to suit

**V7486, V7487 & V7488** joined

| Code | Details | Overall Size (mm) | Unit Weight (kg) |
|-------|---------|-------------------|------------------|
| V7486 | Heavy Duty Floor Angle - 2.4M | 2400x100x100 | 17.8 |
| V7487 | Heavy Duty Floor Angle (Corner) | 300x300x100 | 3.8 |
| V7488 | Heavy Duty Floor Angle (End) | 600x100x100 | 4.3 |
| V7483 | Galvanised Screw Bolt to suit (M12x75mm) | | |

# Forklift Wheel Stop

- Verdex's Forklift Wheel Stops are durable and designed to enhance safety and efficiency.
- They ensure proper parking alignment, prevent damage to structures, assist with docking, and help to organize spaces effectively.
- Designed to protect assets and machinery in warehouses
- Please note; 5 V7483 Screw Bolts are required for the V7484 Wheel Stop (purchased seperately)

**V7483**
Screw Bolt to suit

Hole Diameter: 18mm

Steel construction with a powder coated 'safety yellow' finish

Angle from the floor: 135 degrees

| Code | Details | Size LxWxH (mm) | Hole Diameter (mm) | Unit Weight (kg) |
|------|---------|-----------------|--------------------|--------------------|
| V7484 | Forklift Wheel Stop | 1200x150x50 | 18 | 19 |
| V7483 | Galvanised Screw Bolt to suit (M12x75mm) | | | |

# EXPLORE OUR
# PPE RANGE

## WE'VE GOT YOUR EARS COVERED

Hearing protection including Ear plugs, Dispensers & Muffs

ALL EYEWEAR PROTECTION IS CERTIFIED TO **AS/NZS 1337.1:2010**

## HEADS UP!

Assorted Hard hats, Safety goggles, Safety glasses & face protection

## GLOVES FOR ALL APPLICATIONS

A range of gloves including Ventilated, PVC, Polycotton, Liner, Nitrile & Nylon

**GLOVE CLIP KEEPERS** ALSO AVAILABLE

## SAFETY FIRST

Various Safety Chains, Barricade Tape, Traffic Cones, Safety Tags & Bunting

## GEARED UP

Gear up with our new range of Protective Wear including Rain Coats with Pants, Hi-Vis Vests & Respirators

**EYEWASH STATIONS** ALSO AVAILABLE

SCAN TO VIEW OUR FULL RANGE ONLINE:

verdex.com.au/safety-barriers-ppe-signage/gloves-knives-and-ppe/

# Barricade Tape

- Barricade Tape is used to alert passersbys of an area or situation containing a possible hazard
- 100 metre roll x 75 mm width
- Heavy Duty Plastic
- Qty/Pack - 5

**V9612**

**V9611**

| Code | Details |
|------|---------|
| V9611 | Barricade Tape - Red/White |
| V9612 | Barricade Tape - Black/Yellow |

# Bunting

- Hi-Vis is fluro PVC triangle flags
- 30 metre length
- Reusable high strength nylon rope
- 45 flags
- Sold Individually
- Provides excellent visibility for hazardous areas

| Code | Details |
|------|---------|
| V9613 | Hi -Vis Bunting |

# T-Top Bollards

• Fluoro red post with reflective tape
• Heavy weight Rubber base
• Complies to relevant Australian Standards

**V7451**

| Code | Details | Overall Height (mm) | Rubber Base Weight (kg) |
|------|---------|---------------------|-------------------------|
| V7450 | T-Top Plastic Bollard (Base & Top) | 1150 | 6 |
| V7451 | T-Top Bollards Top Only | | |

# Traffic Cone - Extension bar

• Made from exterior grade ABS plastic and UV stabilised to withstand temperature extremes and sunlight
• Extendable bar starts at 135cm, extending to 210cm long as required
• Includes simple twist lock system at required length
• Features 4 yellow reflective bands for added visibility
• Sold Individually
• Includes soft durable rubber loops on both ends for easy attachment to traffic cones and bollards

Extension Bar pictured with our T-Top Bollards (V7450)

| Code | Details |
|------|---------|
| V9614 | Traffic Cone Extension Bar |

# Traffic Cones

- Lightweight yet durable Traffic Cones, that can used in a variety of settings road works, construction sites and parking lots.
- High quality orange PVC
- Sold Individually



**V9616**

**V9615**

| Code | Details |
|------|---------|
| V9615 | Traffic Cone - 450mm high |
| V9616 | Traffic Cone - 700mm high |

# Traffic Cones - with Reflective Tape

- Lightweight yet durable Traffic Cones, that can used in a variety of settings road works, construction sites and parking lots.
- High quality orange PVC 150mm reflective tape complies to AS/NZS 1906.1:2007 standards
- High intensity reflective tape
- Providing even greater visibility
- Sold indivdually



**V9617**

**V9618**

| Code | Details |
|------|---------|
| V9617 | Traffic Cone with Reflective Tape - 450mm high |
| V9618 | Traffic Cone with Reflective Tape - 700mm high |

# Footprint Floor Marking Stickers

Footprint floor marking is commonly used in numerous industrial and commercial applications to improve safety, organization, and efficiency.

They help in segregating pedestrian walkways from vehicle paths, thus reducing the risk of accidents. This is mostly important in areas where forklifts or other machinery are being used.

- Sold as 5 pairs
- Material : Vinyl
- Indoor Outdoor use

| Code | Overall Size LxW (mm) |
|---|---|
| V9540 | 254x89 |

# Industrial 'STOP' Floor Marking Stickers

Industrial 'STOP' floor marking is used to improve safety and organization in industrial environments including factories, warehouses, and manufacturing facilities.

These markings are especially significant in areas with high foot or vehicle traffic, intersections, or areas of potential hazard.

- Sold as a pair
- Material : Vinyl
- Indoor and Outdoor use

| Code | Overall Size (mm) |
|---|---|
| V9541 | 400x400 |

# WE'VE GOT YOUR
# SIGNAGE NEEDS
## COVERED . . .

**FOR WHEN YOU NEED TO**

# KEEP THEM OUT

NOTICE
NO ADMITTANCE

NOTICE
KEEP THIS AREA CLEAR

**Various Keep Clear, No Entry & No Admittance signs perfect for a range of applications**

HIGH VISIBILTY CLOTHING MUST BE WORN IN THIS AREA

HEARING AND EYE PROTECTION MUST BE WORN IN THIS AREA

**FOR WHEN YOU**

# MUST PROTECT

SAFETY FOOTWEAR MUST BE WORN ON THIS SITE

**Protective Equipment signage to promote workplace safety**

Bend your knees to lift
Prevent Back Injury

**FOR WHEN YOU**

# NEED TO INSTRUCT

NO SMOKING

**Range of instructional signs suitable for areas which specific rules & restrictions apply**

**Signage to guide pedestrians & warn of any potential hazards. Suitable for a range of environments**

PEDESTRIANS KEEP TO MARKED WALKWAYS

**FOR WHEN YOU**

# NEED TO GUIDE

WATCH OUT FORKLIFT OPERATING AREA

**VIEW OUR FULL RANGE ONLINE:**

verdex.com.au/safety-barriers-ppe-signage/signage/

# Safety Tags

- Safety Tags are used to prevent accidental injury or illness to employees who are exposed to hazardous conditions that may be unexpected.
- 125mm x 75mm
- Non tear/all weather
- Qty/Pack - 100 Tags

**V9619**

**V9620**

| Code | Details |
|---|---|
| V9619 | Safety tags - Danger |
| V9620 | Safety tags - Out of Service |

# Safety Chains

- A high strength plastic safety and barrier chain which can be used to cordon off work place and public access areas
- Provides excellent visibility for hazardous areas
- UV stabilised
- Available in Safety yellow colour and Red & White
- 8mm thick plastic loops
- Sold per 25 metre roll

**V9609**

**V9610**

| Code | Details |
|---|---|
| V9609 | Safety Chain - Red/White |
| V9610 | Safety Chain - Yellow |

# Heavy Duty Wheel Chock Trolley

- These units are a great addition for loading docks, depots or parking areas.
- Finish: Powder coat Yellow
- V1213 Capacity: 6 Heavy Duty Rubber Wheel Chocks (V7847)
- V1214 Capacity: 2 Heavy Duty Rubber Wheel Chocks (V7847)
- Fitted with 2 Wheel Chock Holder (V7847)
- Optional add-on Holder is available (V1214)
- 200mm Rubber Wheels

**V1214** Wheel Chock Holder

**V1213** Wheel Chock Trolley

| Code | Details | Overall Size LxWxH (mm) | Unit Weight (kg) |
|------|---------|------------------------|------------------|
| V1213 | Wheel Chock Trolley | 815x475x1130 | 16 |
| V1214 | Wall Mounted Wheel Chock Holder | 570x110x115 | 1 |

# Heavy Duty Rubber Wheel Chock

- The Heavy Duty Rubber Wheel Chocks are designed to prevent unintentional movement of vehicles, especially when they are parked or stationary.
- These Wheel Chocks can be used for various applications such as maintenance, loading/unloading, truck/trailer parking, boat trailers, construction sites.
- Manufactured from 100% recycled rubber
- Superior constuction ensures the wheel chocks will not warp, crack, chip or rot
- Rope Material:  Yellow Darcon
- Rope Length: 1000mm
- These Wheel Chocks are sold as 2/carton

| Code | Size LxWxH (mm) | Unit Weight (kg) |
|------|-----------------|------------------|
| V7847 | 285x250x185 | 6.5 |

# R2 Response Plus First Aid Kits

**Scan here to view the First Aid Pack contents online**

- Complies with WHS 2019 Regulations for Workplaces, high risk 1-25 persons.
- Ideal general purpose First Aid Kit for any application.
- Includes Eye 'n' Wound, Burn and Outdoor modules for catering to specific injury risks in these areas.
- Available in 3 case options to suit almost any application in the workplace.
- Dimensions (WxHxD): 285x420x130mm

**V9532**

**V9531**

**V9533**

| Code | Details |
|------|---------|
| V9531 | Response Plus First Aid Kit, Metal Wall Mount |
| V9532 | Response Plus First Aid Kit, Soft Pack |
| V9533 | Response Plus Kit Refill Pack |

**Sydney:** (02) 8865 1800    **Melbourne:** (03) 9115 9100    **Brisbane:** (07) 3558 9700

# R4 Medic First Aid Kits

- Complies with WHS 2019 Regulations for Workplaces, high risk 1-50 persons.
- One of the biggest and best in our R4 range, especially suited to first aid rooms, etc.
- Additional modules to make contents easily locatable.
- Available in 2 case options to suit almost any application in the workplace
- Hospital-grade content to provide an effective esponse to injuries.
- Dimensions (WxHxD): 410x575x130mm

**Scan here to view the First Aid Pack contents online**

**V9535**

**V9534**

**V9536**

| Code | Details |
|------|---------|
| V9534 | Constructa Medic Kit, Metal Wall Mount |
| V9535 | Constructa Medic Kit, Soft Pack |
| V9536 | Constructa Medic Refill Kit |